

## Ear Infections and your child

The *potential* role of chiropractic in the management of childhood ear infections is well documented in the literature. There are numerous published case studies, as well as a number of published research studies which discuss the effect chiropractic care may have on a child with acute or chronic ear infections.<sup>(1,2,3,4,5,6)</sup>



### **Antibiotics and Childhood ear infections.**

The most common form of treatment for childhood ear infections is the administering of antibiotics, often for a period of 10 days or more. This is despite the fact that the use of antibiotics in the treatment of ear infections is under serious question within the medical profession.<sup>(8-15)</sup> Many studies show that antibiotics are *not effective* in treating many cases of otitis media.

- One study compared children treated with antibiotics alone, antibiotics with myringotomy (eardrum perforation), or no treatment.<sup>(16)</sup> This study found that there was little difference between the groups in regard to pain, fever, hearing, healing time and recurrences.
- In a large study of 3660 children, it was found that antibiotic treated children recovered at a rate slightly slower than children not receiving antibiotics.<sup>(17)</sup> The researchers postulated that this may be because the antibiotics kill the body's good bacteria that form a part of the body's natural defence system.
- A study of 4860 children with acute otitis media were treated with pain relievers and ear drops for four days.<sup>(18)</sup> More than 90% of these children recovered in a few days with no need for further treatment. Only 3% of these cases required antibiotics.
- An article in the Journal of the American medical Association reported that children with chronic otitis media who received amoxicillin suffered 2 to 6 times greater recurrences than those not on the antibiotic.<sup>(8)</sup> The researchers postulated that this may be due to the fact that both good and bad bacteria are being destroyed, causing a bacterial imbalance which then may result in immune dysfunction and possible further ear infections.

Research such as this seriously brings into question the fact that over 90% of children who present to their medical doctor with otitis media will be prescribed an antibiotic.

### **A natural approach to the management of childhood ear infections.**

My experience in the management of childhood ear infections has led me to an approach which I believe is rational, evidence-based and effective. In addition to *chiropractic management* of the child, my approach incorporates a combination of one or more of the following:

- Natural ear drops (ear drops should never be administered if there is a suspicion that the eardrum has been perforated).
- Breast Feeding: Breastfeeding may play a significant role in decreasing the chances of a child developing an ear infection. Research clearly demonstrates the link between a child who is bottle fed and ear infections.

- Attention to diet: Food allergies, particularly to wheat and cow's milk, are often a contributing factor in recurrent childhood ear infections. Other foods like eggs, peanuts, soy, chicken, beef and yeasts may also be implicated. The research suggests the food needs to be eliminated for *at least four months* to determine whether there has been a positive clinical outcome. In an infant who is being breastfed, it is important therefore that the mother similarly restricts her diet.
- Probiotics: There is evidence which suggests that 'good bacteria' in the digestive system are important for overall immune health and may help prevent childhood infections, including ear infections. <sup>(19,20)</sup>

## References:

- (1) Chiropractic Treatment of Otitis Media with Effusion: A Case Report Clinical Chiropractic 2004 (Dec); 7 (4): 168-173
- (2) A Feasibility Study of Chiropractic Spinal Manipulation Versus Sham Spinal Manipulation for Chronic Otitis media with Effusion in Children J Manipulative Physiol Ther 1999 (Jun); 22 (5): 292-298
- (3) The Role of the Chiropractic Adjustment in the Care and Treatment of 332 Children with Otitis Media Journal of Clinical Chiropractic Pediatrics 1997 (Oct); 2 (2): 167-183
- (4) Ear Infection: A Retrospective Study Examining Improvement from Chiropractic Care and Analyzing Influencing Factors J Manipulative Physiol Ther 1996 (Mar); 19 (3): 169-177
- (5) Vertebral Subluxation and Otitis Media: A Case Study The J of Chiro Res and Clin Inves 1992; 8 (2): 38-40
- (6) Otitis Media in Young Children Chiro: The J of Chiro Res & Clin Invest 1989; 2 (1): 9-13
- (7) Cantekin EI, McGuire TW, Griffith TL. Antimicrobial therapy for otitis media with effusion. JAMA . 1991;;266:3309-3317.
- (8) Cantekin, JAMA, 18 December 1991
- (9) Prospective study of tympanosclerosis developing after grommet insertion. The Journal of Laryngology & Otology August 1984 98 : pp 771-774
- (10) Incidence of and Risk Factors for Additional Tympanostomy Tube Insertion in Children Mark Boston, MD; Joe McCook, BS; Bonnie Burke, MS; Craig Derkay, MD Arch Otolaryngol Head Neck Surg. 2003;129(3):293-296
- (11) Primary care based randomised, double blind trial of amoxicillin versus placebo for acute otitis media in children aged under 2 years BMJ 2000;320:350 Roger A M J Damoiseaux (R.A.M.J.Damoiseaux@med.uu.nl), general practitioner<sup>3</sup>, Frank A M van Balen, general practitioner, Arno W Hoes, professor of clinical epidemiology, Theo J M Verheij, professor of general practice, Ruut A de Melker, professor of general practice
- (12) Parents, physicians, and antibiotic use. Pediatrics. 1999 Feb;103(2):395-401. Bauchner H, Pelton SI, Klein JO.
- (13) The End of an Era in Otitis Research Stephen Berman, M.D. n engl j med 356;3 www.nejm.org january 18, 2007
- (14) Time to stop misuse of antibiotics. Erdem I Cantekin, Professor of Otolaryngology, University of Pittsburgh School of Medicine and Children's Hospital of Pittsburgh British Medical Journal 2000.
- (15) Ear infection: a retrospective study examining improvement from chiropractic care and analyzing for influencing factors. Froehle RM. J Manipulative Physiol Ther. 1996 Mar-Apr;19(3):169-77.
- (16) The Lancet, Volume 318, Issue 8252, Pages 883 - 887, 24 October 1981 Therapy of acute otitis media: myringotomy antibiotics or neither? F.L. Van Buchem a, J.H.M. Dunk b, M.A. Van't Hof
- (17) From J, Culpepper L, Grob P, et al: "Diagnosis and antibiotic treatment of acute otitis media: a report from the International Primary Care Network." BMJ (1990) 300(6724):582.
- (18) BMJ. 1997 May 24;314(7093):1526-9. Are antibiotics indicated as initial treatment for children with acute otitis media? Del Mar C, Glasziou P, Hayem M.
- (19) Rautava S, Salminen S, Isolauri E. 2008. Specific probiotics in reducing the risk of acute infections in infancy - a randomised, double-blind, placebo-controlled study. Br J Nutr. 6:1-5. [Epub ahead of print]
- (20) Kukkonen K et al. 2008. Long-term safety and impact on infection rates of postnatal probiotic and prebiotic (synbiotic) treatment: randomized, double-blind, placebo-controlled trial. Pediatrics. 122(1):8-12.